

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	"4392082".uref, bi.	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 10:40
L2	13430	(spark or ignition) near2 plug or injector near2 fuel	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 10:46
L3	3000	2 and (thread\$3 near4 (cylinder or head))	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 10:47
L4	1992	3 and pressure	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 10:47
L5	1526	4 and internal near5 engine	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 10:47
L6	58655	2.ab.ti.	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 10:48
L7	1105	6 and (thread\$3 near4 (cylinder or head))	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 10:48
L8	599	7 and pressure	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 10:48

L9	582	8 and engine	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 10:49
L10	139	7 and pressure.ti, ab.	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 10:50
L11	11	("3020763"1 "414068").PN. OR ("4392082"). URPN.	US-PCPUB; USPAT; USOCR	OR	ON	2008/10/28 12:30
L12	541	6 and (s lidab152 near4 (cylinder or head))	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:33
L13	0	6 and 1with (s lidab152 or removab153 or releasab153) and cylinder	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:34
L14	0	6 and 1with (s lidab152 or removab153 or releasab153)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:34
L15	0	1with (s lidab152 or removab153 or releasab153)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:35
L16	1879	2 with (s lidab152 or removab153 or releasab153)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:35
L17	1166	6 and 2 with (s lidab152 or removab153 or releasab153)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:35

L18	145	6 and 2 with (s lidab1\$2 or removab1\$3 or releasab1\$3) and cylinder and pressure.ab,ti	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:35
L19	132	18 not 10	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:36
L20	20	spark near2 plug with (s lidab1\$2 or removab1\$3 or releasab1\$3) same cylinder and pressure.ab,ti	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:40
L21	0	lab,ti and pressure.ab,ti and "not" near2 (thread\$3 or screw\$3)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:45
L22	0	lab,ti and pressure.ab,ti and "not" near5 (thread\$3 or screw\$3)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:46
L23	0	2.ab,ti and pressure.ab,ti and "not" near5 (thread\$3 or screw\$3)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:46
L24	0	2 and pressure.ab,ti and "not" near5 (thread\$3 or screw\$3)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:46
L25	0	2 and pressure and "not" near5 (thread\$3 or screw\$3)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:46

L26	D	"not" near5 (thread\$3 or screw\$3)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/10/28 12:47
-----	---	-------------------------------------------	-----------------------------------------------------------------	----	----	---------------------

10/28/08 2:26:42 PM